

Notified body no. 1071  
SINTEF Building and Infrastructure  
P.O.Box 124 Blindern – NO-0314 Oslo

## CERTIFICATE OF CONSTANCY OF PERFORMANCE

1071– CPR – 3071

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

### Huntonit Brannit

*Reaction to fire class B-s1,d0  
Wood fibre panels painted with fire retardant paint  
Technical class MBH for general purpose boards for use in dry conditions according to EN 622-3 Table 2  
Nominal thickness  $11.0 \pm 0.2$  mm and nominal density 795 - 875 kg/m<sup>3</sup>*

*Reaction to fire classification is valid for the following end use conditions:*

<i>Substrates</i>	<i>Wood based substrates with thickness <math>\geq 10</math> mm</i>
	<i>Substrate of Euroclasses A1 or A2-s1,d0 with thickness <math>\geq 9</math> mm having a density <math>\geq 510</math> kg/m<sup>3</sup></i>
<i>Mounting</i>	<i>Mechanically fixed, horizontal or vertical joints, with or without air gap behind the panels</i>
	<i>The air gap can be filled with mineral wool of Euroclass A1 having a density <math>\geq 37.5</math> kg/m<sup>3</sup></i>

produced by  
**Byggma ASA**  
P.O.Box 21  
NO-4701 Vennesla

and produced in the manufacturing plant  
**Huntonit AS**  
Venneslavegen 233  
NO-4700 Vennesla

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

### EN 13986:2004

under system 1 are applied and that

**the factory production control fulfils all  
the prescribed requirements set out above.**

This certificate was first issued on 01.12.2014 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly, and latest on 01.01.2020.

Oslo, 01.12.2014



.....  
Steinar K. Nilsen  
Certification Manager